

Actual4Dump



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4dump.com>

Superb Exam Dumps Materials lead you to get your certification easily - Actual4dump

Exam : **C9510-418**

Title : IBM WebSphere Application
Server Network Deployment
V9.0 Core Administration

Vendor : IBM

Version : DEMO

NO.1 When installing IBM WebSphere Application Server on a network file system, IBM Installation Manager fails with an insufficient disk space error.

How could this be resolved?

- A. Delete temporary files and try again.
- B. Disable disk space checking in the config.ini and try again.
- C. Increase disk space and try again.
- D. Reboot operating system and try again.

Answer: B

Explanation:

On some network file systems, disk space might not be reported correctly at times; and you might need to bypass disk-space checking and proceed with your installation.

To disable disk-space checking, specify the following system property in the config.ini file in IM_install_root/eclipse/configuration and restart Installation Manager.

NO.2 When installing applications to IBM WebSphere Application Server, what is one important difference between RAR files and SAR, WAR, EAR, and JAR files?

- A. They contain no Java code.
- B. They can be installed at different scopes.
- C. They use a different compression protocol.
- D. They are deployed to the web server.

Answer: D

NO.3 When verbose Garbage Collection is enabled, in which file(s) does the operating system collect the data?

- A. activity.log
- B. native_stdout.log and native_stderr.log
- C. SystemOut.log and SystemErr.log
- D. trace.log

Answer: B

Explanation:

Depending on the operating system in use, the verboseGC output will be written to the following file by default:

AIX, Linux, or Windows: native_stderr.log

Solaris or HP-UX native_stdout.log

NO.4 What is the main difference between interim fixes and product fix packs as they relate to IBM WebSphere Application Server?

- A. Product fix packs are a combination of interim fixes and internal fixes to make patching easier.
- B. Interim fixes typically contain new features or functionality ahead of future product fix packs.
- C. Product fix packs bring WebSphere Application Server to a new product level whereas interim fixes provide corrective service for specific known problems.
- D. Product fix packs are generally reserved for new features or functionality whereas interim fixes are provided only to fix known issues.

Answer: C

Explanation:

Product fix packs contain bundled service to bring WebSphere Application Server up to a new product level. Interim fixes provide corrective service for specific known problems.

NO.5 Which of the following is true about creating multiple security domains?

- A. A new security domain can be created only using the administrative console.
- B. Global security must be enabled before creating new multiple security domains.
- C. If a unique name for the domain is not specified, the system will automatically create one.
- D. Only users assigned to the security-admin role can create new multiple security domains.

Answer: D

Explanation:

Only users assigned to the administrator role can configure multiple security domains.

NO.6 What must be modified to configure the authentication settings for IIOP requests?

- A. Common Secure Interoperability Version 2 (CSIV2) settings
- B. J2C authentication settings
- C. Session Initiation Protocol (SIP) authentication settings
- D. Bus security settings

Answer: A

Explanation:

WebSphere Application Server can propagate attributes directly as part of the CSiv2 protocol for RMI/IIOP requests.

NO.7 Through what protocol can a Java client directly access EJBs running on an application server?

- A. RMI/IIOP
- B. SOAP/JMS
- C. SOAP/HTTP
- D. JDBC

Answer: C

Explanation:

Provided that it uses the correct protocols (SOAP, HTTP, WSDL), any web service client can access a stateless session bean, whether or not the client is written in the Java programming language. The client doesn't even "know" what technology implements the service: stateless session bean, JAX-WS, or some other technology. In addition, enterprise beans and web components can be clients of web services. This flexibility enables you to integrate Java EE applications with web services.

NO.8 Which of the following is true of managing scopes in the Integrated Solutions Console?

- A. The network deployment scope has precedence over all the scopes.
- B. The application scope has precedence over all the scopes.
- C. The cluster scope has precedence over all the scopes.
- D. The node scope has precedence over all the scopes.

Answer: B

NO.9 Which of the following is a requirement when performing a silent install?

- A. The repositories must be downloaded before performing the install.
- B. The repositories must be defined before starting the install.
- C. Artifacts must be saved for performing a roll back.
- D. A response file must be used.

Answer: D

NO.10 Which two ways are valid ways to install applications to IBM WebSphere Application Server?
(Choose two.)

- A. JMS messaging
- B. Integrated Solutions Console
- C. wsadmin script
- D. IBM Tivoli Access Manager
- E. IBM Installation Manager

Answer: B,C

Explanation:

Deploy an application or module using the administrative console, wsadmin, programming, or deployment tools.